

MODELS


36V | 36V HD | 36V SD





MANUFAC-TURING'S FAVORITE WORKHORSE.

This hardworking tow tractor delivers outstanding performance. With its efficient AC direct-drive motor and up to 16,000-lb towing capacity, the MT-280 is ideal for moving trailers over long distances. It's also narrow enough to fit through most door openings. From its all-steel construction and demountable bumpers to its high torque drum brakes, this tugger is built for years of heavy use in total comfort and safety. The easy-to-access under seat industrial battery prevents mid-shift interruptions. EE rating available.



FEATURES

High-efficiency asynchronous AC / Direct Drive motor

AC controller with sealed connectors paired with multifunction display

Inboard / portable high frequency PFC battery charger

Robust long-life industrial batteries

Long-lasting, batterysaving LED lights

Energy-saving regenerative braking

EE rating available 7












SPECIFICATIONS



PERFORMANCE		36V	36V HD	36V SD
☐ LOAD CAPACITY		700 lbs – 318 kg	800 lbs – 363 kg	800 lbs – 363 kg
□ TOWING CAPACITY		6,000 lbs – 2,722 kg	10,000 lbs – 4,536 kg	16,000 lbs – 7,257 kg
SPEED SPEED		8 mph – 13 km/h	8 mph – 13 km/h	6 mph – 10 km/h
TURNING RADIUS		73" – 1,854 mm	72" – 1.829 mm	72" – 1.829 mm
PASSENGERS		1	1	1
POWERTRAIN				
MOTOR	Shunt motor	10 HP		
	Brushless AC motor		10 HP Max (7.5 HP Intermittent)	10 HP Max (7.5 HP Intermittent)
CONTROLLER	SEPEX Electronic speed controller	~		
	Electronic AC speed controller		~	~
DRIVE AXLE	Helical gear differential	✓	~	✓
BRAKES	Rear hydraulic drum brakes, hand lever parking brake, regenerative braking	~		
	Rear hydraulic drum brakes, regenerative braking		✓	✓
WHEELS	4.8x8 LRC pneumatic tires	✓	✓	✓
TRANSMISSION	Direct drive	✓	✓	✓
SUSPENSION	Coil springs & shock absorbers (front and rear)	✓		
	Dual coil springs & shock absorbers front and Dual leaf springs on rear		~	~
CHASSIS				
BODY	All-steel unibody construction. Powder Coating.	✓	✓	~
COLOR	Security orange or federal yellow (optional colors available)			
LIGHTS	LED headlight & tail/brake light	✓	~	~
OPERATOR COMPARTMENT				
STEERING	Automotive steering wheel	✓	~	~
SEATS	Bucket seat on slide adjusters	✓	✓	~
	Battery status indicator	✓		
INDICATORS	Multifunction display including speedometer, battery state of charge, hour meter, odometer and fault warnings. Password-protected parameters and monitoring capability.		~	~
SAFETY	Reverse alarm, deadman seat switch, horn	✓	✓	~
ACCESSORIES	36V/12V converter for 12-volt accessories, bolt-on bumpers and rear wheel guards	~		
	36V/12V converter for 12-volt accessories, bolt-on front bumper		~	~











3-Year limited warranty on all Motrec vehicles with AC technology, our MS-260 stock chaser and all Motrec trailers.



GET THE MOST FROM YOUR FLEET



36V HD | 36V SD

📊 GRAMMER SEAT AND SEAT BELT

This ergonomic semi-suspension seat will keep you focused on the job, not on the vibrations, while the seat belt adds extra protection.

ERGONOMIC STEERING COLUMN

Based on human ergonomics, this steering column is optimally positioned for comfort while operating the vehicle.

SIDE MIRRORS Side mirrors provide operators with a side view of their surroundings for safety.

36V

NON-MARKING TIRES

These tires do not leave marks on the ground and they have an even softer compound that moves smoothly across the ground.

LIGHTS

Maximize vehicle visibility & everyone's safety with a blue safety light, strobe light, tail and brake lights and more.



 $For compatibility, please contact your \ Motrec \ dealer. \ Options \ may \ vary \ from \ illustrations \ provided$

PERFORMANCE

TOWING CAPACITY up to 16,000 lbs.

₩IDTH 38", 39" (36V)

SPEED 8 mph

TURNING RADIUS 72", 73" (36V)

RECOMMENDED INDUSTRIES



Industrial manufacturing



Warehousing, logistics and distribution



Automotive manufacturing



1 866 846-3558 M O T R E C . C O M