



VEHICLE OVERVIEW

ERICK DESAUTELS
JULY 21, 2026

MX 660 MODEL **VACUUM TRUCK IC**

A low maintenance vehicle that keeps things clean.

As a vacuum truck, the MX-660 is hard to beat: It has a long deck with a usable 530-gallon vacuum tank, a 14 HP LPG engine vacuum pump motor with 15 in.Hg continuous / 16.5 in.Hg intermittent vacuum performance, top clean-out door, hose reel and much more to tackle your most demanding tasks such as sump cleaning, grey/black water collection or dry collection. With our option package, it can become a dumper with a full size hinged rear door & hydraulic dumper platform.



Custom Vehicles, Utility Vehicles
Other Models : Vacuum Truck

 PASSENGERS
2

 LOAD CAPACITY
7,000 lbs

 TOWING CAPACITY
n/a

 SPEED MPH
6 mph

 TURNING RADIUS
184"

FEATURES

Built-to-last all-steel tubular construction
Heavy-duty powder paint & protection
Smooth-ride wheels in multiple models and options
heavy-duty braking power

Dimensions

VEHICLE

Height	102"	2,591 mm
Length	183"	4,648 mm
Width	54"	1,372 mm
Wheel Base	116"	2,946 mm
Ground Clearance	n/a	n/a

DECK

Height	25"	635 mm
Width	54"	1,372 mm
Length	113"	2,870 mm

UNIT WEIGHT

With Batteries	n/a	n/a
Without Batteries	n/a	n/a

BATTERIES

Height	n/a	n/a
Length	n/a	n/a
Width	n/a	n/a
Weight - Min	n/a	n/a
Weight - Max	n/a	n/a

Performances

VEHICLE

Passengers	2	
Load Capacity	7,000 lbs	3,175 kg
Tow Capacity	n/a	n/a
Drawbar Pull - Normal	n/a	n/a
Drawbar Pull - Ultimate	n/a	n/a
Speed MPH	6 mph	10 km/h
Turning Radius	184"	4,674 mm

*Vehicle shown may have optional accessories and is provided for illustrative purposes only.
Specifications and standard equipment are subject to change without notice.*

Specifications

POWERTRAIN

Motor	Kubota WG972, 3 cylinders, fan-cooled, 4-cycle gas engine
Controller	n/a
Drive Axle	Dual hydraulic wheel motors
Brakes	4-wheel hydraulic discs brakes, hand lever parking brake
Wheels	19" Rib solid tire on front & 19" traction solid tire on rear
Transmission	Hydrostatic transmission with automotive control
Suspension	Leaf spring in the front and double leaf spring in the back
Starter	n/a
Clutch	n/a
Engine	Kubota WG972, 3 cylinders, fan-cooled, 4-cycle gas engine

ENERGY

Voltage	n/a
Battery	n/a
Charger	n/a
Alternator	n/a
Fuel	Unleaded regular gas only, 7 U.S. gallon tank capacity

CHASSIS

Body	All-steel unibody construction. Powder coating Orange or Yellow or White
Color	Security orange or federal yellow
Lights	LED dual headlights & tail/brake lights, dual back-up lights

OPERATOR COMPARTMENT

Steering	Automotive steering wheel, angled steering column
Seats	Two bucket seats on slide adjusters
Indicators	Fuel gauge
Safety	Deadman seat switch, reverse alarm, safety belt, horn
Accessories	Bolt-on front bumper

Standards

Conforms to ANSI B56-8



POPULAR OPTIONS

GET THE IDEAL VEHICLE FOR THE JOB.

With unlimited configurations, we make customization quick, easy and affordable.

Safety Features

MT800-STROBE001 Pole mounted strobe light

The list above shows the most popular options for this vehicle. More options are available. To learn more about the MX - 660 - Vacuum Truck IC options, please contact your representative. Options, specifications and standard equipment are subject to change without notice.



Erick Desautels
REGIONAL SALES MANAGER

819-432-7541
edesautels@motrec.com

Motrec International Inc.
4685 Portland Boulevard
Sherbrooke
Quebec, J1L 0J1
Canada



www.motrec.com